

```
# ISP Workshop lab
# Using c7200-advipservicesk9-mz.152-4.S7

model = 7200

[localhost:7200]
  udp = 40100
  workingdir = /home/dynamips/cache

[[7200]]
  image = /home/dynamips/c7200-1524S7.bin
  ram = 176
  npe = npe-400
  ghostios = True
  sparsemem = True
  slot1 = PA-4T
  idlepc = 0x631891f8

[[ROUTER r1]]
  console = 2001
  aux = 3001
  fa0/0 = r2 fa0/0
  fa0/1 = r13 fa0/1
  s1/0 = r3 s1/1
  model = 7200

[[router r2]]
  console = 2002
  aux = 3002
  fa0/1 = r14 fa0/1
  s1/0 = r4 s1/1
  model = 7200

[[router r3]]
  console = 2003
  aux = 3003
  s1/0 = r5 s1/1
  model = 7200

[[router r4]]
  console = 2004
  aux = 3004
  s1/0 = r6 s1/1
  model = 7200

[[router r5]]
  console = 2005
  aux = 3005
  fa0/0 = r6 fa0/0
  s1/0 = r7 s1/1
  model = 7200
```

```
[[router r6]]
    console = 2006
    aux = 3006
    s1/0 = r8 s1/1
    model = 7200

[[router r7]]
    console = 2007
    aux = 3007
    s1/0 = r9 s1/1
    model = 7200

[[router r8]]
    console = 2008
    aux = 3008
    s1/0 = r10 s1/1
    model = 7200

[[router r9]]
    console = 2009
    aux = 3009
    fa0/0 = r10 fa0/0
    s1/0 = r11 s1/1
    model = 7200

[[router r10]]
    console = 2010
    aux = 3010
    s1/0 = r12 s1/1
    model = 7200

[[router r11]]
    console = 2011
    aux = 3011
    s1/0 = r13 s1/1
    model = 7200

[[router r12]]
    console = 2012
    aux = 3012
    s1/0 = r14 s1/1
    model = 7200

[[router r13]]
    console = 2013
    aux = 3013
    fa0/0 = r14 fa0/0
    model = 7200

[[router r14]]
    console = 2014
    aux = 3014
```

model = 7200